





Through port with gauge port

CAVITY: T-10A



snhy.com/FEW





TECHNICAL DATA

Body Type	Line mount	
Interface	None	
Body Features	Through port with gauge port	
Mounting Hole Thread	.250-20 UNC - 2B in.	
Mounting Hole Depth	12,7 mm	
Mounting Hole Quantity	2	
Open Cavities	1	
Cavity	T-10A	
Port Size	3/4" BSPP	
Model Weight	0.43 kg.	

NOTES

Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

PORT DESIGNATORS

Modifiers	Ports
FEW	Ports 1 & 2: 3/4" BSPP; Gage Port: 1/4"

CONFIGURATION OPTIONS Model Code Example: FEW

MODIFIER

6061-T651 Aluminum, Buna-N


/S 65-45-12 Ductile Iron, Buna-N, Blackened

MANIFOLD FACES


FACE GRID

1	2	3	4
5	6	7	8
9	10	11	12


© 2019 Sun Hydraulics 1 of 6




© 2019 Sun Hydraulics 2 of 6




© 2019 Sun Hydraulics 3 of 6





© 2019 Sun Hydraulics 5 of 6



© 2019 Sun Hydraulics 6 of 6